

**Safety data sheet**  
according to 1907/2006/EC, Article 31



**Protea  
Chemicals**

A member of the Omnia Group  
"more than just a chemical supplier"

Printing date 28.09.2015

Version number 1

Revision: 28.09.2015

## 1 Identification of the substance/mixture and of the company/undertaking

- **Product identifier**
- **Trade name:** *POLYAMIDE RESIN G-640 (POLYAMIDE)*
- **Article number:** *PL0191*
- **CAS Number:** *68082-29-1*
- **Relevant identified uses of the substance or mixture and uses advised against Industrial use**
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
*Protea Chemicals Wadeville  
1 Berrange Road  
Wadeville, Germiston  
Tel: 011-821 3300*
- 
- Protea Chemicals PE  
127 Grahamstown Road  
Deal Party, Port Elizabeth  
Tel: 041-403 1000*
- 
- Protea Chemicals CT  
54 Killarney Avenue  
Killarney Gardens, Milnerton, Cape Town  
Tel: 021-550 8100*
- 
- Protea Chemicals KZN  
150 Quality Street,  
Jacobs, Durban  
Tel: 031-468 5424*
- **Further information obtainable from:** *Protea Chemicals*
- **Emergency telephone number:**  
*08610 OMNIA or  
08610 66642*

## 2 Hazards identification

- **Classification of the substance or mixture**



*corrosion*

*Skin Corr. 1C H314 Causes severe skin burns and eye damage.*



*Eye Irrit. 2A H319 Causes serious eye irritation.*

- **Label elements**
- **GHS label elements**  
*The substance is classified and labelled according to the Globally Harmonised System (GHS).*
- **Hazard pictograms**



GHS05

(Contd. on page 2)

PRC

**Safety data sheet**  
according to 1907/2006/EC, Article 31



**Trade name: POLYAMIDE RESIN G-640 (POLYAMIDE)**

(Contd. of page 1)

- **Signal word** *Danger*
- **Hazard statements**  
*Causes severe skin burns and eye damage.*
- **Precautionary statements**  
*Do not breathe dust/fume/gas/mist/vapours/spray.*  
*IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.*  
*IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.*  
*Immediately call a POISON CENTER/doctor.*  
*Store locked up.*  
*Dispose of contents/container in accordance with local/regional/national/international regulations.*
- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** *Not applicable.*
- **vPvB:** *Not applicable.*

### 3 Composition/information on ingredients

- **Chemical characterisation: Substances**
- **CAS No. Description**  
*POLYAMIDE RESIN G-640 (POLYAMIDE)*
- **Identification number(s)** *Not available*

### 4 First aid measures

- **Description of first aid measures**
- **After inhalation:**  
*Remove to fresh air. In case of unconsciousness place patient stably in side position for transportation.*
- **After skin contact:**  
*Immediately wash with water and soap and rinse thoroughly. Remove contaminated clothing. Flush affected areas with plenty of water and soap.*
- **After eye contact:**  
*Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.*
- **After swallowing:** *If symptoms persist consult doctor.*
- **Most important symptoms and effects, both acute and delayed** *No further relevant information available.*
- **Indication of any immediate medical attention and special treatment needed**  
*No further relevant information available.*

### 5 Firefighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**  
*Use fire extinguishing methods suitable to surrounding conditions. Water spray jet, foam. Dry fire-extinguishing substance.*
- **Special hazards arising from the substance or mixture** *No further relevant information available.*
- **Advice for firefighters**
- **Protective equipment:** *Use breathing apparatus with independent air supply (Isolated)*
- **Additional information** *If exposed to fire, keep containers cool by spraying with water.*

PRC

(Contd. on page 3)

**Safety data sheet**  
according to 1907/2006/EC, Article 31



**Trade name: POLYAMIDE RESIN G-640 (POLYAMIDE)**

(Contd. of page 2)

### 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**  
Wear protective gear. Do not inhale the material or its combustion products. Go against the wind and keep out of low areas. Evacuate personnel to safe area.
- **Environmental precautions:**  
Avoid dispersal of spilt material and runoff and contact with waterways, drains and sewers. If large spills, advise emergency services.
- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders). Transfer into suitable containers. To be disposed of in compliance with existing regulations. After cleaning, flush away traces with water.
- **Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

### 7 Handling and storage

- **Precautions for safe handling**  
No special precautions are necessary if used correctly. Avoid contact with skin, eyes and clothing.
- **Information about fire - and explosion protection:**  
Put on appropriate personal protective equipment. Keep away from open flames, shut of the production of sources of ignition. Electricity: static electricity, electricity sparks, heat. Do not breathe vapor or mist. No smoking.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:**  
Observe the rules usually applicable when handling chemicals.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep container tightly sealed in a dry well-ventilated place.
- **Specific end use(s)** No further relevant information available.

### 8 Exposure controls/personal protection

- **Additional information about design of technical facilities:**  
Ensure eyewash stations and safety showers are close to the workstation location.
- **Control parameters**
- **Ingredients with limit values that require monitoring at the workplace:** Not required.
- **Additional information:** The lists valid during the making were used as basis.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**  
Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing  
Wash hands before breaks and at the end of work.  
Avoid contact with the eyes and skin.
- **Respiratory protection:**  
In case of dust formation, wear micro dust mask. Use respiratory equipment with suitable filter or wear a self contained respiratory apparatus.

(Contd. on page 4)

**Safety data sheet**  
according to 1907/2006/EC, Article 31



**Trade name: POLYAMIDE RESIN G-640 (POLYAMIDE)**

(Contd. of page 3)

· **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:**



Tightly sealed goggles

## 9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

· <b>Form:</b>	Liquid
· <b>Colour:</b>	Amber coloured
· <b>Odour:</b>	Amine-like
· <b>Odour threshold:</b>	Not determined.

· **pH-value:** Not determined.

· **Change in condition**

· <b>Melting point/Melting range:</b>	Undetermined.
· <b>Boiling point/Boiling range:</b>	Undetermined.

· **Flash point:** > 185 °C

· **Flammability (solid, gaseous):** Not applicable.

· **Ignition temperature:** 335 °C

· **Decomposition temperature:** Not determined.

· **Self-igniting:** Not determined.

· **Danger of explosion:** Product does not present an explosion hazard.

· **Explosion limits:**

· <b>Lower:</b>	Not determined.
· <b>Upper:</b>	Not determined.

· **Vapour pressure:** Not determined.

· **Density:** Not determined.

· **Relative density** Not determined.

· **Vapour density** Not determined.

· **Evaporation rate** Not determined.

(Contd. on page 5)

**Safety data sheet**  
according to 1907/2006/EC, Article 31



**Trade name: POLYAMIDE RESIN G-640 (POLYAMIDE)**

(Contd. of page 4)

- |   |  |
|---|--|
| · <b>Solubility in / Miscibility with water:</b>  | Not determined.                            |
| · <b>Partition coefficient (n-octanol/water):</b> | Not determined.                            |
| · <b>Viscosity:</b>                               |  |
| <b>Dynamic:</b>                                   | Not determined.                            |
| <b>Kinematic:</b>                                 | Not determined.                            |
| · <b>Other information</b>                        | No further relevant information available. |

### 10 Stability and reactivity

- **Reactivity**
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** Acids and strong oxidising agents.
- **Hazardous decomposition products:** No dangerous decomposition products known.

### 11 Toxicological information

- **Information on toxicological effects**
  - **Acute toxicity:**
- |  |      |                      |
|--|------|----------------------|
| · <b>LD/LC50 values relevant for classification:</b> |      |                      |
| Oral   | LD50 | >5000 mg/kg (rat)    |
| Dermal   | LD50 | >5000 mg/kg (rabbit) |
- **Primary irritant effect:**
  - **on the skin:** Irritant to skin and mucous membranes.
  - **on the eye:** Irritating effect.
  - **Sensitisation:** No sensitising effects known.

### 12 Ecological information

- **Toxicity**
- |                            |                   |
|----------------------------|-------------------|
| · <b>Aquatic toxicity:</b> |                   |
| LC50 96 hours              | >1-10 mg/L (Fish) |
- **Persistence and degradability** No further relevant information available.
  - **Bioaccumulative potential** No further relevant information available.
  - **Mobility in soil** No further relevant information available.
  - **Additional ecological information:**
  - **General notes:** Not known to be hazardous to water.
  - **Results of PBT and vPvB assessment**
  - **PBT:** Not applicable.
  - **vPvB:** Not applicable.
  - **Other adverse effects** No further relevant information available.

PRC

(Contd. on page 6)

**Safety data sheet**  
according to 1907/2006/EC, Article 31




**Trade name: POLYAMIDE RESIN G-640 (POLYAMIDE)**

(Contd. of page 5)

### 13 Disposal considerations

- **Waste treatment methods**
- **Recommendation**  
Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.

### 14 Transport information

· <b>UN-Number</b>	
· <b>ADR, IMDG, IATA</b>	UN2735
· <b>UN proper shipping name</b>	
· <b>ADR</b>	2735 POLYAMINES, LIQUID, CORROSIVE, N.O.S. (POLYAMIDE RESIN G-640 (POLYAMIDE))
· <b>IMDG, IATA</b>	POLYAMINES, LIQUID, CORROSIVE, N.O.S. (POLYAMIDE RESIN G-640 (POLYAMIDE))
· <b>Transport hazard class(es)</b>	
· <b>ADR, IMDG, IATA</b>	
	
· <b>Class</b>	8 Corrosive substances.
· <b>Label</b>	8
· <b>Subsidiary risk</b>	-
· <b>Packing group</b>	
· <b>ADR, IMDG, IATA</b>	III
· <b>Environmental hazards:</b>	
· <b>Marine pollutant:</b>	No
· <b>Special precautions for user</b>	Warning: Corrosive substances.
· <b>ERG No.</b>	153
· <b>Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code</b>	Not applicable.
· <b>Transport/Additional information:</b>	
· <b>ADR</b>	
· <b>Limited quantities (LQ)</b>	5L
· <b>Excepted quantities (EQ)</b>	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· <b>IMDG</b>	
· <b>Limited quantities (LQ)</b>	5L
· <b>Excepted quantities (EQ)</b>	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

(Contd. on page 7)

**Safety data sheet**  
according to 1907/2006/EC, Article 31



**Protea**  
Chemicals

A member of the Omnia Group  
"more than just a chemical supplier"

Printing date 28.09.2015

Version number 1

Revision: 28.09.2015

**Trade name: POLYAMIDE RESIN G-640 (POLYAMIDE)**

(Contd. of page 6)

· **UN "Model Regulation":** UN2735, POLYAMINES, LIQUID, CORROSIVE, N.O.S. (POLYAMIDE RESIN G-640 (POLYAMIDE)), 8, III

### 15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **GHS label elements**  
The substance is classified and labelled according to the Globally Harmonised System (GHS).
- **Hazard pictograms**



GHS05

- **Signal word** *Danger*
- **Hazard statements**  
*Causes severe skin burns and eye damage.*
- **Precautionary statements**  
*Do not breathe dust/fume/gas/mist/vapours/spray.*  
*IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.*  
*IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.*  
*Immediately call a POISON CENTER/doctor.*  
*Store locked up.*  
*Dispose of contents/container in accordance with local/regional/national/international regulations.*
- **Chemical safety assessment:** *A Chemical Safety Assessment has not been carried out.*

### 16 Other information

*This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.*

- **Abbreviations and acronyms:**  
*ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)*  
*IMDG: International Maritime Code for Dangerous Goods*  
*IATA: International Air Transport Association*  
*CAS: Chemical Abstracts Service (division of the American Chemical Society)*  
*LC50: Lethal concentration, 50 percent*  
*LD50: Lethal dose, 50 percent*  
*Skin Corr. 1C: Skin corrosion/irritation, Hazard Category 1C*  
*Eye Irrit. 2A: Serious eye damage/eye irritation, Hazard Category 2A*

PRC